



Selita srl
Via Nicolò Rezzara, 15
24020 Ranica (BG) | ITALIA
Cod. Fiscale e P.IVA IT04215490162
R.E.A. E C.C.I.AA. BG n. 445086
Tel. +39 035 511355 | Email: selitasrl@gmail.com

MATERIAL SAFETY DATA SHEET

Release num. 001 date 25/01/2022

1. PRODUCTS AND COMPANY IDENTIFICATION

MSDS Name: **InLei® LamiCa Gel** - Lash Lamination Pro Adhesive

Details of the responsible person

Selita SRL

15, Nicolò Rezzara street

24020 Ranica (BG)

ITALY

Phone: +39 035 511355 Mobile: +39 389 5618546

Customer care: info@inlei.it

2. COMPOSITION / INFORMATION ON INGREDIENTS

	Components	CAS#	%by Weight(approximate)
1.	Acrylate Copolymer	25133-97-5; 25035-69-2; 25212-88-8	25-50%
2.	Aqua (Water/Eau)	7732-18-5	25-50%
3.	Dextrin	9004-53-9	10-25%
4.	(!) ALCOHOL	64-17-5	5-10%
5.	(!) PROPYLENE GLYCOL	57-55-6	1-5%
	Total		100,0000

Other potentially hazardous components	
1. Ethanol o Isopropanol The percentage by weight (w/w) of ethanol and/or isopropanol shall be indicated for all products.	ALCOHOL (8%)



Selita srl
Via Nicolò Rezzara, 15
24020 Ranica (BG) | ITALIA
Cod. Fiscale e P.IVA IT04215490162
R.E.A. E C.C.I.AA. BG n. 445086
Tel. +39 035 511355 | Email: selitasrl@gmail.com

18. Others: Glycols and Glycol Ethers The concentration of any of these ingredients above the stated threshold shall be indicated.	PROPYLENE GLYCOL (5%) - The concentration above 10% of this ingredient in a formulation must be specified.
---	--

3. HAZARDS IDENTIFICATION

This product is polymer solution.

- **Inhalation** : Vapor can cause headache, Nausea and irritation of the nose, throat and lungs.
- **Skin contact** : Slightly irritating to the skin.
- **Ingestion** : May cause pain, nausea and vomiting.
- **Eye Contact** : Contact with vapor or liquid may irritate the eye.

4. FIRST AID MEASURES

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing get medical attention immediately.

EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. If redness, itching or a burning sensation develops, see a physician.

SKIN CONTACT: Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, get medical attention.

INGESTION: Get medical attention immediately.

NOTE TO PHYSICIANS: None for this material.

5. FIRE-FIGHTING MEASURES

Extinguishing media : Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.

Fire fighting Instructions : Do not enter any enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus to protect against hazardous effects of combustion products and oxygen deficiency.

6. ACCIDENTAL RELEASE MEASURES

Small Spills: Dike and absorb with inert material such as sand and remove all liquid of the use of a vacuum system. If unstable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.

Large Spills: Use the same procedure as small spill.



Selita srl
Via Nicolò Rezzara, 15
24020 Ranica (BG) | ITALIA
Cod. Fiscale e P.IVA IT04215490162
R.E.A. E C.C.I.AA. BG n. 445086
Tel. +39 035 511355 | Email: selitasrl@gmail.com

7. HANDLING AND STORAGE

Handling precaution : Avoid eye contact. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area. Keep out of the reach of children.

Storage Requirements : Keep from freezing. Product will coagulate. Keep container tightly closed when not in use. Don not get in eyes, on skin or on clothing. Monomer vapors can be evolved with materials is heated. Containers, even those that have been emptied, will retain product residue and vapors and are subject to proper waste disposal, as above.

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Protective Clothes/Equipment: The use of gloves impermeable to specific material handled is advised to prevent skin contact and possible irritation. Use Chemical Goggles if splashing may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Water solubility : Soluble

Flash point : N/A

10. STABILITY AND REACTIVITY

Hazardous decomposition products : Thermal decoposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

Toxicity: Bond skin rapidly and strongly Skin and eye irritant

Routes of Entry: Inhalation (YES), Skin (YES), Ingestion (YES)

Carcinogen etc: See section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATION

Disposal: Dispose of unused product or contaminated product and materials used in cleaning un spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain pr disposal procedures.



Selita srl

Via Nicolò Rezzara, 15

24020 Ranica (BG) | ITALIA

Cod. Fiscale e P.IVA IT04215490162

R.E.A. E C.C.I.AA. BG n. 445086

Tel. +39 035 511355 | Email: selitasrl@gmail.com

14. TRANSPORT INFORMATION

IATA: Not restricted

CLASS: Unlisted

UN Number: Unlisted

15. REGULATORY INFORMATION

CA Proportion 65 : No California proposition 65 chemicals are known to be present.

16. OTHER INFORMATION

Material safety data sheet on voluntary basis.

Basically the product is non hazardous. A MSDS is not mandatory required. We provide on voluntary basis a data sheet according to REACH regulation 1907/2006.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU. The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.